Author index

Ansselin, A.D., see Eckersley, L. (92) 128

Badge, R.M., see Cheng, Y.-C. (92) 193 Basura, G.J. and Walker, P.D.

Serotonin 2A receptor regulation of striatal neuropeptide gene expression is selective for tachykinin, but not enkephalin neurons following dopamine depletion (92) 66

Beck, B., see Stricker-Krongrad, A. (92) 43
Biggio, F., see Follesa, P. (92) 138
Biggio, G., see Follesa, P. (92) 138
Bogdanovic, N., see Wirdefeldt, K. (92) 58
Boxer, L.M., see Freeland, K. (92) 98
Brown, E.M., see Chattopadhyay, N. (92) 172
Busonero, F., see Follesa, P. (92) 138
Busto, R., see Schmidt-Kastner, R. (92) 157

Cagetti, E., see Follesa, P. (92) 138
Carta, M., see Follesa, P. (92) 138
Chattopadhyay, N. and Brown, E.M.
Retinoic acid receptors are expressed in human primary astrocytes and their agonists inhibit parathyroid hormone-related peptide expression and

secretion (92) 172

Chen, S.-T., see Huang, C.-M. (92) 181
Cheng, Y.-C., Lee, C.-J., Badge, R.M., Orme,
A.T. and Scotting, P.J.

Sox8 gene expression identifies
immature glial cells in developing
cerebellum and cerebellar tumours
(92) 193

Cho, H.-J., see Kim, D.-S. (92) 167 Chu, P.-W., see Huang, C.-M. (92) 181 Corsi, L., see Subramaniam, J.R. (92) 149

Dimitrov, T., see Stricker-Krongrad, A. (92)

Doi, T., Ueda, Y., Tokumaru, J., Mitsuyama, Y. and Willmore, L.J.
Sequential changes in AMPA and NMDA protein levels during Fe³⁺-induced epileptogenesis (92) 107

Eckersley, L., Ansselin, A.D. and Tomlinson, D.R.

Effects of experimental diabetes on axonal and Schwann cell changes in sciatic nerve isografts (92) 128

Epplen, J.T., see Holzmann, C. (92) 85

Follesa, P., Cagetti, E., Mancuso, L., Biggio,

F., Manca, A., Maciocco, E., Massa, F., Speranza Desole, M., Carta, M., Busonero, F., Sanna, E. and Biggio, G. Increase in expression of the GABA_A receptor α_4 subunit gene induced by withdrawal of, but not by long-term treatment with, benzodiazepine full or partial agonists (92) 138

Freeland, K., Boxer, L.M. and Latchman, D.S.
The cyclic AMP response element in
the Bcl-2 promoter confers
inducibility by hypoxia in neuronal
cells (92) 98

Ginsberg, M.D., see Schmidt-Kastner, R. (92) 157

Gotter, A.L. and Reppert, S.M.
Analysis of human *Per4* (92) 19
Guenther, E., see Wheeler-Schilling, T.H. (92)

Higo, A., see Shirotani, K. (92) 12
Holzmann, C., Schmidt, T., Thiel, G., Epplen,
J.T. and Riess, O.
Functional characterization of the human Huntington's disease gene promoter (92) 85

Huang, C.-M., Shui, H.-A., Wu, Y.-T., Chu,
P.-W., Lin, K.-G., Kao, L.-S. and Chen,
S.-T.
Proteomic analysis of proteins in
PC12 cells before and after treatment
with nerve growth factor: increased
levels of a 43-kDa chromogranin B-derived fragment during neuronal
differentiation (92) 181

Jabs, R., see Wheeler-Schilling, T.H. (92) 177

Kalin, N.H., see Roseboom, P.H. (92) 115
Kao, L.-S., see Huang, C.-M. (92) 181
Katsura, M., see Shirotani, K. (92) 12
Kim, D.-S., Lee, S.-J. and Cho, H.-J.
Differential usage of multiple brainderived neurotrophic factor promoter in rat dorsal root ganglia following peripheral nerve injuries and inflammation (92) 167
Kitano, H., see Nakajima, Y. (92) 27
Kohler, K., see Wheeler-Schilling, T.H. (92)

Larkin, P. and Semple-Rowland, S.L.

A null mutation in guanylate cyclase1 alters the temporal dynamics and
light entrainment properties of the
iodopsin rhythm in cone
photoreceptor cells (92) 49

Latchman, D.S., see Freeland, K. (92) 98

Lee, C.-J., see Cheng, Y.-C. (92) 193

Lee, S.-J., see Kim, D.-S. (92) 167

Lin, B., see Schmidt-Kastner, R. (92) 157

Lin, K.-G., see Huang, C.-M. (92) 181

Lipp, H.-P., see Otto, C. (92) 78

Maciocco, E., see Follesa, P. (92) 138

Maldonado, R., see Otto, C. (92) 78

Manca, A., see Follesa, P. (92) 138

Mancuso, L., see Follesa, P. (92) 138

Marquordt, K., see Wheeler-Schilling, T.H. (92) 177

Martin, M., see Otto, C. (92) 78

Martin, M., see Otto, C. (92) 78
Massa, F., see Follesa, P. (92) 138
Matsuyama, T., see Nakajima, Y. (92) 27
Mitsuyama, Y., see Doi, T. (92) 107
Mohri, Y., see Shirotani, K. (92) 12
Murdoch, G., see Wirdefeldt, K. (92) 58

Nakajima, Y., Okamoto, M., Nishimura, H.,
Obata, K., Kitano, H., Sugita, M. and
Matsuyama, T.
Neuronal expression of mint1 and
mint2, novel multimodular proteins,
in adult murine brain (92) 27
Neale, J.H., see Subramaniam, J.R. (92) 149
Nishimura, H., see Nakajima, Y. (92) 27

Obata, K., see Nakajima, Y. (92) 27
Ohkuma, S., see Shirotani, K. (92) 12
Ohno, K., see Utsumi, M. (92) 1
Okamoto, M., see Nakajima, Y. (92) 27
Onchi, H., see Utsumi, M. (92) 1
Orme, A.T., see Cheng, Y.-C. (92) 193
Otto, C., Martin, M., Wolfer, D.P., Lipp, H.-P.,
Maldonado, R. and Schütz, G.
Altered emotional behavior in
PACAP-type-I-receptor-deficient mice
(92) 78

Payami, H., see Wirdefeldt, K. (92) 58

Reppert, S.M., see Gotter, A.L. (92) 19 Riess, O., see Holzmann, C. (92) 85 Roseboom, P.H., Urben, C.M. and Kalin, N.H. Persistent corticotropin-releasing

177

factor₁ receptor desensitization and downregulation in the human neuroblastoma cell line IMR-32 (92) 115

Sanna, E., see Follesa, P. (92) 138 Sato, K., see Utsumi, M. (92) 1 Saul, I., see Schmidt-Kastner, R. (92) 157 Schalling, M., see Wirdefeldt, K. (92) 58 Schmidt, T., see Holzmann, C. (92) 85 Schmidt-Kastner, R., Truettner, J., Lin, B., Zhao, W., Saul, I., Busto, R. and Ginsberg, M.D. Transient changes of brain-derived neurotrophic factor (BDNF) mRNA expression in hippocampus during moderate ischemia induced by chronic bilateral common carotid artery occlusions in the rat (92) 157 Schütz, G., see Otto, C. (92) 78 Scotting, P.J., see Cheng, Y.-C. (92) 193 Semple-Rowland, S.L., see Larkin, P. (92) 49 Shirotani, K., Katsura, M., Higo, A., Takesue, M., Mohri, Y., Shuto, K., Tarumi, C. and Ohkuma, S.

Suppression of Ca²⁺ influx through L-type voltage-dependent calcium

channels by hydroxyl radical in

mouse cerebral cortical neurons (92)
12
Shui, H.-A., see Huang, C.-M. (92) 181
Shuto, K., see Shirotani, K. (92) 12
Speranza Desole, M., see Follesa, P. (92) 138
Stricker-Krongrad, A., Dimitrov, T. and Beck, B.
Central and peripheral dysregulation of melanin-concentrating hormone in obese Zucker rats (92) 43
Subramaniam, J.R., Corsi, L., Vicini, S., Whiting, P.J. and Neale, J.H.
Ribozyme-mediated reduction of the GABA_A receptor α1 subunit (92) 149
Sugita, M., see Nakajima, Y. (92) 27

Takesue, M., see Shirotani, K. (92) 12
Tarumi, C., see Shirotani, K. (92) 12
Thiel, G., see Holzmann, C. (92) 85
Tohyama, M., see Utsumi, M. (92) 1
Tokumaru, J., see Doi, T. (92) 107
Tomlinson, D.R., see Eckersley, L. (92) 128
Truettner, J., see Schmidt-Kastner, R. (92)
157

Ueda, Y., see Doi, T. (92) 107 Urben, C.M., see Roseboom, P.H. (92) 115 Utsumi, M., Ohno, K., Onchi, H., Sato, K. and Tohyama, M.
Differential expression patterns of three glutamate transporters (GLAST, GLT1 and EAAC1) in the rat main olfactory bulb (92) 1

Vicini, S., see Subramaniam, J.R. (92) 149

Walker, P.D., see Basura, G.J. (92) 66 Westerberg, L., see Wirdefeldt, K. (92) 58 Wheeler-Schilling, T.H., Marquordt, K., Kohler, K., Guenther, E. and Jabs, R. Identification of purinergic receptors in retinal ganglion cells (92) 177 Whiting, P.J., see Subramaniam, J.R. (92) 149 Willmore, L.J., see Doi, T. (92) 107 Wirdefeldt, K., Bogdanovic, N., Westerberg, L., Payami, H., Schalling, M. and Murdoch, G. Expression of α-synuclein in the human brain: relation to Lewy body disease (92) 58 Wolfer, D.P., see Otto, C. (92) 78 Wu, Y.-T., see Huang, C.-M. (92) 181

Zhao, W., see Schmidt-Kastner, R. (92) 157